Response to Final OA Mailed 15 July 2008

II. CLAIM AMENDMENTS

1. (Currently Amended) An apparatus comprising:

a memory for associating a first location with a first plurality of operating

characteristics, and a first modified menu structure, and first contact information;

a detector for automatically detecting when the apparatus is at the first location;

and

a controller configured to adopt the first plurality of operating characteristics, and

the first modified menu structure, and first contact information when the

apparatus is at the first location, and for controlling the operation of the apparatus

at least partially in accordance with the adopted first plurality of operating

characteristics, and the first modified menu structure, and first contact

information.

2. (Currently Amended) The apparatus of claim 1, wherein the controller is

configured to automatically adopt the first plurality of operating characteristics, and the

first modified menu structure, and first contact information when the apparatus is at the

first location.

3. (Currently Amended) The apparatus of claim 1, wherein the controller is

configured to un-adopt the first plurality of operating characteristics, and the first

modified menu structure, and first contact information when the apparatus is no longer

at the first location.

4. (Currently Amended) The apparatus of claim 1, wherein the first operating

characteristics determine at least partially the form of output presentable by the

apparatus.

Serial No.: 10/608,299 Response to Final OA Mailed 15 July 2008

5. (Currently Amended) The apparatus of claim 4, wherein the <u>first</u> operating characteristics define at least one of the colours, wall paper, background, or screen saver used.

- 6. (Currently Amended) The apparatus of claim 4, further comprising an alert device, wherein the <u>first</u> operating characteristics define at least one operating characteristic of the alert device.
- 7. (Currently Amended) The apparatus of claim 1, wherein the <u>first</u> operating characteristics configure application data available for use by the apparatus.
- 8. (Currently Amended) The apparatus of claim 7, wherein the <u>first</u> operating characteristics include a software application.
- 9. (Currently Amended) The apparatus of claim 7, wherein the <u>first</u> operating characteristics include additional data for a software application.
- 10. (Currently Amended) The apparatus of claim 1, wherein the memory is additionally configured for associating a second location, exclusive of the first location, to a second plurality of operating characteristics, second modified menu structure, and second contact information, different from the first plurality of operating characteristics, first modified menu structure, and first contact information, and the controller is configured to adopt the second plurality of operating characteristics, second modified menu structure, and second contact information when the apparatus is at the second location.
- 11. (Previously Presented) The apparatus of claim 1, further comprising a user interface having a display and a user input device, wherein the first plurality of operating characteristics are themed, and define how an apparatus responds to user input.
- 12. (Currently Amended) The apparatus of claim 11, wherein the display is for displaying the <u>first_modified menu structure including a plurality of user selectable options</u>, and the user input device is for navigating the displayed <u>first_modified menu structure</u> to select an option and wherein the first plurality of operating characteristics

Response to Final OA Mailed 15 July 2008

defines athe first modified menu structure, such that when a first theme is adopted, the first modified menu structure is displayable.

13. (Currently Amended) A method comprising:

associating a first location of an apparatus with a first plurality of operating characteristics, and a first modified menu structure, and first contact information;

automatically detecting when the apparatus is at the first location;

adopting the first plurality of operating characteristics, and the <u>first</u> modified menu structure, and <u>first</u> contact information in the apparatus when the apparatus is located at the first location; and

controlling the operation of the apparatus at least partially in accordance with the adopted <u>first</u> operating characteristics, <u>and</u> the <u>first</u> modified menu structure, <u>and</u> <u>first contact information</u>.

14. (Cancelled)

15. (Previously Presented) A computer program product embodied on a computer readable medium comprising programming instructions for performing the method of claim 13.

16. (Cancelled)

17. (Currently Amended) An electronic device, having a plurality of user selectable options, comprising:

a user interface having a display and a user input device;

a memory for defining a first theme and a second theme, wherein the first theme defines a first user selectable menu structure <u>and first contact information</u>, and how the electronic device is controlled by the user input to select an option when the first theme is adopted by the electronic device and the second theme defines

Response to Final OA Mailed 15 July 2008

a second user selectable menu structure and second contact information, and how the electronic device is controlled by the user input to select an option when

the second theme is adopted by the electronic device; and

a controller for selecting said first theme or said second theme for adoption by

the electronic device and for controlling the operation of the electronic device at

least partially in accordance with the adopted one of the themes.

18. (Currently Amended) An electronic device as claimed in claim 17, wherein the

display is for displaying a menu including a plurality of user selectable options and an

user input device is for navigating the displayed menu to select an option such that

when the first theme is adopted, the first user selectable menu isand first contact

information are displayable and when the second theme is adopted, the second user

selectable menu is and second contact information are displayable.

19. (Previously Presented) An electronic device as claimed in claim 17, wherein the first

theme defines a first plurality of operating characteristics and the second theme defines

a second plurality of operating characteristics.

20. (Original) An electronic device as claimed in claim 19, wherein the operating

characteristics determine at least partially the form of output presentable by the

electronic device.

21. (Original) An electronic device as claimed in claim 20, further comprising an alert

device, wherein the operating characteristics define at least one operating characteristic

of the alert device.

22. (Original) An electronic device as claimed in claim 18, wherein the operating

characteristics controls at least partially the applications provided by the device.

23. (Original) An electronic device as claimed in claim 22, wherein the operating

characteristics include a software application.

Response to Final OA Mailed 15 July 2008

24. (Original) An electronic device as claimed in claim 22, wherein the operating

characteristics include additional data for a software application.

25. (Previously Presented) An electronic device as claimed in claim 17 wherein the

controller for selecting said first theme or said second theme for adoption by the

electronic device is configured to associate the first theme with a first location,

determine the location of the electronic device, and adopt the first theme when the

electronic device is located at the first location.

26. (Currently Amended) An electronic device as claimed in claim 25, wherein the

controller is configured to associate the second theme with a first second location and to

adopt the second theme when the electronic device is located at the second location.

27. (Previously Presented) An electronic device as claimed in claim 17, wherein the

controller for selecting said first theme or said second theme for adoption by the

electronic device is responsive to the user input device.

28. (Currently Amended) A method of customising the manner in which an electronic

device, having a plurality of user selectable options, is controlled by a user to select an

option, comprising the steps of:

providing a first theme defining a first modified menu structure and first contact

information, and how an electronic device is controlled by a user to select an

option when the first theme is adopted by the electronic device;

providing a second theme that defines a second modified menu structure and

second contact information, and how an electronic device is controlled by the

user to select an option when the second theme is adopted by the electronic

device; and

selecting the first theme or the second theme for adoption by the electronic

device.

29. (Cancelled)

Response to Final OA Mailed 15 July 2008

30. (Previously Presented) A computer program embodied on a computer readable medium comprising programming instructions for performing the method as claimed in

claim 28.

31. (Cancelled)

32. (Currently Amended) A mobile electronic device, having a plurality of user

selectable options, comprising:

a user interface having a display and a user input device;

a memory for associating a first theme, and a first modified menu structure, and

first contact information with a first location, wherein the first theme defines how

an electronic device is controlled by the user input to select an option when the

first theme is adopted by the electronic device;

a detector for automatically detecting when the mobile device is at the first

location; and

a controller for selecting said first theme for adoption by the electronic device

when the mobile device is at the first location and for controlling the operation of

the electronic device at least partially in accordance with the adopted first theme,

and the <u>first</u> modified menu structure, <u>and first contact information</u>.

33. (Currently Amended) A method of customising the manner in which an electronic

device, having a plurality of user selectable options, is controlled by a user to select an

option, comprising:

providing a first theme, and a first modified menu structure, and first contact

information defining how an electronic device is controlled by a user to select an

option when the first theme is adopted by the electronic device;

detecting when the mobile electronic device is at a first location; and

Response to Final OA Mailed 15 July 2008

adopting the first theme, and the <u>first</u> modified menu structure, and <u>first</u> contact <u>information</u> when the mobile electronic device is located at the first location.

- 34. (Currently Amended) The method of claim 13, further comprising automatically adopting the first plurality of operating characteristics and the <u>first</u> modified menu structure when the apparatus is at the first location.
- 35. (Currently Amended) The method of claim 13, further comprising un-adopting the first plurality of operating characteristics and the <u>first</u> modified menu structure when the apparatus is no longer at the first location.
- 36. (Previously Presented) The method of claim 13, wherein the operating characteristics determine at least partially the form of output presentable by the apparatus.
- 37. (Previously Presented) The method of claim 13, wherein the operating characteristics define at least one of the colours, wall paper, background, or screen saver used.
- 38. (Previously Presented) The method of claim 13, further comprising defining at least one operating characteristic of an alert device of the apparatus using the operating characteristics.
- 39. (Previously Presented) The method of claim 13, further comprising configuring application data available for use by the apparatus using the operating characteristics.
- 40. (Currently Amended) The method of claim 13, further comprising associating a second location, exclusive of the first location, to a second plurality of operating characteristics, a second modified menu structure, and second contact information, different from the first plurality of operating characteristics, first modified menu structure, and first contact information, and adopting the second plurality of operating characteristics when the apparatus is at the second location.
- 41. (Currently Amended) The method of claim 13, further comprising:

Serial No.: 10/608,299 Response to Final OA Mailed 15 July 2008

displaying the <u>first</u> modified menu structure including a plurality of user selectable options, and

navigating the displayed first modified menu structure to select an option.